

# **AUTOMOTIVE TRANSMISSION OILS**

**AFT | DCTF | TRANSMISSION | CONSTRUCT**





ALWAYS MOVING FORWARD.

 **LUKOIL**  
LUBRICANTS

## ■ TRANSMISSION

LUKOIL TRANSMISSION UNI S 75W-90	
LUKOIL TRANSMISSION UNI 80W-90	
LUKOIL TRANSMISSION UNI S 75W-140	
LUKOIL TRANSMISSION MP 75W-80	7
LUKOIL TRANSMISSION SLY 75W-90	
LUKOIL TRANSMISSION LDI 75W-80	
LUKOIL TRANSMISSION MP 80W-85	
LUKOIL TRANSMISSION MP 85W-90	
<b>NEW</b> LUKOIL TRANSMISSION SYNTH MPV 75W-80	8
<b>NEW</b> LUKOIL TRANSMISSION SYNTH MPS 75W-90	
<b>NEW</b> LUKOIL TRANSMISSION SYNTH MPX 75W-80	
LUKOIL TRANSMISSION SYNTH MPX 75W-90	
LUKOIL TRANSMISSION SYNTH BSX 75W-90	9
<b>NEW</b> LUKOIL TRANSMISSION SYNTH BSV 75W-90	
LUKOIL TRANSMISSION LD 80W-90	
LUKOIL TRANSMISSION B 85W-90	
LUKOIL TRANSMISSION B 80W-90	10
LUKOIL TRANSMISSION B 80W-140	
LUKOIL TRANSMISSION B 85W-140	
LUKOIL TRANSMISSION LS 80W-90	
LUKOIL TRANSMISSION LS 85W-90	11
LUKOIL DCTF	
LUKOIL ATF SYNTH VI	
LUKOIL ATF SYNTH M 15	12
LUKOIL ATF SYNTH M 14	
LUKOIL ATF SYNTH MN Z3	
LUKOIL ATF SYNTH MULTI	13
LUKOIL ATF SYNTH	
LUKOIL ATF SYNTH CVT	
LUKOIL ATF	14

## ■ CONSTRUCT

LUKOIL CONSTRUCT TO-4 SAE 10W	
LUKOIL CONSTRUCT TO-4 SAE 30	
LUKOIL CONSTRUCT TO-4 SAE 50	15

# LUKOIL LUBRICANTS ENABLE RELIABLE MOBILITY FOR MILLIONS WORLDWIDE AND PROVE THEMSELVES DAILY UNDER ALL CONDITIONS.

Lubricants are some of the most important technical components of our daily life – and yet they are rarely noticed. And so it should be. After all, safety and progress can only be guaranteed by high-quality products with long service lives that invisibly keep our ever more dynamic world turning smoothly. LUKOIL Lubricants takes its responsibility as a manufacturer of first-class, reliable lubricants extremely seriously. The company's products are used across a range of industries, ensuring the smooth functioning of vehicles as well as boats and agricultural machinery.

In this way, LUKOIL helps keep today's highly complex logistics networks from grinding to a halt – which would be unthinkable in our modern ultramobile society. Nor is coming to a halt an option for the LUKOIL company. Stable growth, securing of resources and steady improvement of products and processes are essential in a highly dynamic market. LUKOIL has therefore established the goal of being at the absolute top in the most challenging segment: fully synthetic, high-performance oils for modern vehicle engines. The development of LUKOIL TRANSMISSION is an impressive and successful example of this strategy – but we are always striving for more.

Founded in 1991 by a merger of regional oil and gas transport companies in the western Siberian cities of Langepas, Uray and Kogalym (LUK), LUKOIL developed into the largest private oil group in Russia. In line with its established creed of vertical integration – in other words raw material extraction, production and development as well as sales of high-quality products all at a single company – LUKOIL always strives to offer perfect service to its customers. In recent years,



the focus here has been on the lubricants business. Through constant development work at seven refineries and production sites in Europe, including the newly added production and filling plant at the oil port of Lobau, LUKOIL Lubricants has already won over more than 300 manufacturers in the automotive industry, especially with the high-quality oils for the critical European market.

The Austrian market is also gaining in importance here. After all, it is from here that LUKOIL serves all Western European countries, not only with production and development, but also with the operation of a highly efficient distribution network. The lion's share of the value creation is therefore situated in Austria – at the heart of Europe. An important signal of stability and a long-term orientation. The decades of experience of Austrian experts in the role of a Central European hub and interface between East and West also ensure smooth functioning of all critical logistical flows. With the Danube port of Lobau and the Vienna Airport, high-capacity transport routes are a given.





## LUKOIL TRANSMISSION

**THE PREMIUM TRANSMISSION OIL FROM LUKOIL IS PREPARING TO CONQUER THE EUROPEAN MARKET FROM VIENNA – WITH HIGH QUALITY AND A SUSTAINABLE BUSINESS MODEL.**

With the expansion of the Vienna production site and the associated strict quality controls, LUKOIL is sending a strong signal for the quality standard of LUKOIL TRANSMISSION. As a home for modern technology enterprises, Austria also guarantees a product that not only meets the strict quality, environmental and ethical standards in Austria but subsequently throughout Europe as well.

LUKOIL TRANSMISSION was specially developed to ensure smooth operation over the entire service period. High-quality base oils and state-of-the-art additive technologies effectively minimise wear, oxidation and friction.

To give your vehicle the best, choose LUKOIL TRANSMISSION.





**QUALITY IS OUR STRENGTH.  
TRANSMISSIONS ARE OUR PASSION.**

### **QUALITY FROM EUROPE**

In our state-of-the-art production facilities in Vienna's Lobau, in Finland as well as in Romania, lubricants are produced based on first-class raw materials using innovative technologies. Our scientific experts also work continuously to improve our products to guarantee ever greater reliability and progress.

In this way, LUKOIL can supply customers around the world – even in the most demanding segment of fully synthetic, high-performance lubricants – with reliable and individual solutions for special applications.

**IT'S A MATTER OF TRUST.**



# TRANSMISSION

AUTOMOTIVE LUBRICANTS

## LUKOIL TRANSMISSION UNI S 75W-90



Prod. No.: 583520

SPECIFICATIONS

- Fuel-efficient, fully synthetic, high-performance universal transmission oil for synchronised and unsynchronised manual transmissions and axle transmissions
- Reduces fuel consumption
- Characterised by high ageing resistance and long service periods
- Neutral behaviour with respect to non-ferrous metals and elastomers

**API** GL-4/ GL-5/ MT-1  
**MAN** 341 Typ E2/ E3  
**MAN** 342 Typ M3  
**MAN** 341 Typ Z2/ S1  
**MB** 235.0/ 235.8  
**MIL**-PRF-2105E  
**SAE** J2360  
**Scania** STO 1:0  
**VOLVO** 97312  
**ZF** TE-ML 07A/ 08/ 12B/ 02B/ 12L/ 12N/ 16F/ 17B/ 19C/ 21A (ZF001769)

## LUKOIL TRANSMISSION UNI 80W-90



Prod. No.: 583510

APPROVALS

SPECIFICATIONS

- High-performance universal transmission oil for manual transmissions and axle transmissions
- High ageing-resistance and long service periods
- Protects against wear and optimises the lifespan of the transmission

**MAN** 341 Typ Z2  
**MAN** 342 M2  
**ZF** TE-ML 02B/ 05A/ 12L/ 12M/ 16B/ 17H/ 19B/ 21A

**API** GL-4/ -5/ MT-1  
**ARVIN** MERITOR 076-D  
**MAN** 341 Typ E2  
**MB** 235.0  
**MIL**-PRF-2105E  
**SAE** J2360  
**Scania** STO 1:0  
**ZF** TE-ML 07A/ 08/ 16C/ 19C/ 21A

## LUKOIL TRANSMISSION UNI S 75W-140



Prod. No.: 583535

SPECIFICATIONS

- Fully synthetic, high-performance universal transmission oil for synchronised and unsynchronised manual transmissions and axle transmissions
- High ageing resistance and long service periods are guaranteed
- Neutral behaviour with respect to non-ferrous metals and elastomers

**API** GL-5/ MT-1  
**SAE** J2360  
**Scania** STO 1:0  
**VOLVO** 97310  
**ZF** TE-ML 05A/ 07A/ 08/ 12B/ 16F/ 21A

## LUKOIL TRANSMISSION MP 75W-80



Prod. No.: 583021

SPECIFICATIONS

- Synthetic, fuel-efficient transmission oil specially for passenger cars and light utility vehicles with extremely long oil change intervals
- Optimal wearing and corrosion protection
- High ageing stability and long lifespan

**API** GL-3/ -4/ -4+ (transElf NFI/ NFP/ TRJ/ TRT/ TRZ)  
**BMW** MTF LT-2/ LT-3/ LT-4  
**Fiat** 9.5555.0 – MZ1  
**Ford** WSD-M2C200-C/ -D2  
**GM** 1940004/ 19259104 (BOT 303)/ 1940182/ 1940764/ 1940768  
**MB** 235.10/ 235.3  
**Nissan** MT-XZ/ MT-XZ TL (JR Type)  
**PSA** B71 2330  
**Special** Gear Oil MTF 94/ Honda MTF/ -II/ -III  
**VOLVO** 97308/ 97309  
**VW** G 052 171/ 052 178/ 052 512/ 052 527 (A2)/ 052 726 (A2)/ 060 726/ 009 317/ G50

## LUKOIL TRANSMISSION SLY 75W-90



Prod. No.: 583240

### SPECIFICATIONS

- Synthetic transmission oil for passenger cars, offers maximum ease of shifting even at low winter temperatures
- Exhibits extreme ageing and shear stability to ensure long oil change intervals
- Offers optimal wearing and corrosion protection

API GL-4+  
VW 501.50

## LUKOIL TRANSMISSION LDI 75W-80



Prod. No.: 583620

### APPROVALS

### SPECIFICATIONS

- Synthetic, fuel-efficient transmission oil, specially suited for utility vehicles, ensures extremely long oil change intervals
- Good ageing stability, ensures long transmission lifespan thanks to modern wearing protection additives
- Optimal wearing and corrosion protection
- Maximum compressive strength of the lubrication film for optimal lubrication reliability

MAN 341 Typ Z4  
ZF TE-ML 01L/02L/  
16K (ZF001767)

API GL-4  
DAF  
IVECO 18-1807 MGS1  
Renault  
VOITH Oil Class C  
VOLVO 97305  
ZF TE-ML 02D/ 07A/ 08

## LUKOIL TRANSMISSION MP 80W-85



Prod. No.: 583010

### APPROVALS

### SPECIFICATIONS

MB-Approval 235.1

API GL-4  
ZF TE-ML 08/ 16A/ 17A/ 19A

- Mineral transmission oil with high pressure absorption capacity, primarily for manual transmissions
- Top manual transmission oil with good ageing stability and very high load-bearing capacity
- Ensures an extremely long transmission lifespan thanks to optimal wearing and corrosion protection additives
- Low pour point, low viscosity temperature dependence

## LUKOIL TRANSMISSION MP 85W-90



Prod. No.: 583020

### APPROVALS

### SPECIFICATIONS

MB-Approval 235.1  
ZF TE-ML 16A/ 17A/ 19A  
(ZF003413)

API GL-4  
MIL-L-2105  
ZF TE-ML 08

**NEW**

## LUKOIL TRANSMISSION SYNTH MPV 75W-80



Prod. No.: 583100

### APPROVALS

### SPECIFICATIONS

- Excellent protection against oxidation and resistance to aging enables extended drain intervals according to the OEM instructions
- A modern additive package ensures the best possible protection of all components, even under high load conditions
- Synthetic base oils with a high viscosity index increases the efficiency of the transmission and ensure maximum fuel efficiency
- Friction characteristics precisely matched to the synchronizer rings ensure optimum shifting behavior, even at extremely low temperatures

MAN 341 Typ Z4  
Volvo 97307  
ZF TE-ML 01L, 02L, 16K  
(ZF003412)

API GL-4  
DAF\*  
EATON Transmission  
Iveco 18-1807 MGS1  
MAN 341 Typ E3, VR  
Renault\*  
Voith Oil class C  
Volvo 97305  
ZF TE-ML 02D, 07A, 08



# TRANSMISSION

## AUTOMOTIVE LUBRICANTS

### NEW LUKOIL TRANSMISSION SYNTH MPS 75W-90



Prod. No.: 583110

APPROVALS

SPECIFICATIONS

- Fully synthetic, fuel-saving, high-performance manual transmission oil
- Excellent oxidation and aging resistance enables extended drain intervals (up to 360,000 km)
- Optimal temperature-viscosity behavior of SAE 75W-90 for use under all climatic conditions
- Perfectly matched friction characteristics of the synchronizer rings ensure optimal shifting behavior, even at extremely low temperatures

**MAN** 341 Typ GA2  
**Scania** STO 2:0 G

**API** GL-4

### NEW LUKOIL TRANSMISSION SYNTH MPX 75W-80



Prod. No.: 583060

SPECIFICATIONS

- A modern additive package ensures the best possible protection of all components, even under high load conditions
- Up to 540,000 km or 3 years according to the manufacturer instructions. Excellent protection against oxidation and aging, reduces maintenance costs
- Synthetic base oils with a high viscosity index increases the efficiency of the transmission and ensure maximum fuel efficiency
- Friction characteristics precisely matched to the synchronizer rings ensure optimum shifting behavior, even at extremely low temperatures

**API** GL-4  
**EATON** Transmission  
**Iveco** 18-1807 MGS2, 1  
**MAN** 341 Typ E4, E3, VR  
**MAN** 341 Typ Z5, Z4  
**MB** 235.41, 29  
**Voith** Oil class C  
**Volvo** 97307, 97305  
**ZF** TE-ML 01E, 2E, 2L, 16K, 16P

### LUKOIL TRANSMISSION SYNTH MPX 75W-90



Prod. No.: 583070

SPECIFICATIONS

- A fully synthetic, fuel-efficient transmission oil specially formulated for Mercedes Benz utility vehicles for extremely long oil change intervals
- Impresses with extreme ageing stability and long lifespan thanks to modern, high-performance wearing protection additives
- Ensures high shifting quality

**API** GL-4  
**MAN** 341 Typ MB  
**MB** 235.4/ 235.11  
**ZF** TE-ML 08

### LUKOIL TRANSMISSION SYNTH BSX 75W-90



Prod. No.: 583270

APPROVALS

SPECIFICATIONS

- Fully synthetic, fuel-efficient axle transmission oil, primarily suitable for utility vehicles
- Developed for maximum loads, giving the axle transmission oil extreme ageing resistance
- Enables the longest oil change intervals
- Contains state-of-the-art, high-performance anti-wearing additives for a long transmission lifespan

**MAN** 341 Typ Z2  
**MAN** 342 Typ S1  
**MB-Approval** 235.8  
**Scania** STO 2:0 A FS  
**Volvo** 97312  
**ZF** TE-ML 02B, 05A, 12L, 12N, 16F, 17B, 19C, 21A (ZF005999)

**API** GL-4, GL-5, MT-1  
**ARVIN MERITOR** 0-76-N  
**DAF**  
**Detroit Diesel**  
DFS93K219.01  
**IVECO** 18-1805 RAS1  
**Mack** GO-J  
**MIL**-PRF-2105E  
**SAE** J2360  
**Scania** STO 1:0  
**ZF** TE-ML 07A, 08, 12B

**NEW** LUKOIL TRANSMISSION SYNTH BSV 75W-90



Prod. No.: 583275	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> <li>A modern additive package ensures the best possible protection for all differential components, even at low speeds with high load carrying capacity</li> <li>Outstanding protection against oxidation and aging resistance, reduces maintenance costs</li> <li>Synthetic base oils with a high viscosity index increase the efficiency of the final drive and ensure fuel efficiency</li> </ul>	<b>MAN</b> 342 Typ M2 <b>Volvo</b> 97312	<b>API</b> GL-5 <b>SAE</b> J2360 <b>DAF</b> <b>Flender / Siemens</b> T7302 <b>Gmeinder</b> <b>Henschel</b> <b>Meritor Europe</b> – Extended Drain/ O76-Q <b>MAN</b> 342 Typ M3 <b>IGW</b> (Watteeuw) <b>Scania</b> STO 1:0 <b>Voith</b> 132.00374401, 132.00374402 <b>ZF</b> TE-ML 05A, 12N, 16F, 17B, 19C, 21A

LUKOIL TRANSMISSION LD 80W-90



Prod. No.: 583630	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> <li>Mineral axle transmission oil used primarily in utility vehicles</li> <li>Offers high load capacity and better thermal stability while enabling longer oil change intervals</li> <li>Extreme ageing stability for a long lifespan</li> </ul>	<b>MAN</b> 342 Typ M3 <b>MAN</b> 341 Typ GA1 <b>MB-Approval</b> 235.20 <b>Scania</b> STO 1:0	<b>API</b> GL-5/ MT-1 <b>MIL-PRF</b> -2105E <b>SAE</b> J2360 <b>ZF</b> TE-ML 05A/ 07A/ 12L/ 12M/ 16B/ 17B/ 19B/ 21A

LUKOIL TRANSMISSION B 85W-90



Prod. No.: 583210		<ul style="list-style-type: none"> <li>The mineral axle transmission oil is used primarily in utility vehicles for standard oil change intervals with maximum load-bearing capacity</li> <li>Axle transmission oil with good ageing stability</li> <li>Offers optimal wearing and corrosion protection, ensures a long transmission lifespan</li> <li>The transmission oil stands up to the hardest loads and is suitable for hypoid transmissions with extreme axial offset in vehicles and machinery</li> </ul>
APPROVALS	SPECIFICATIONS	
<b>MB-Approval</b> 235.0 <b>ZF</b> TE-ML 16C/ 17B/ 19B/ 21A (ZF001762)	<b>API</b> GL-5 <b>FENDT</b> <b>FORD</b> M2C-94A <b>MIL-L</b> -2105D <b>NH</b> 520 <b>STEYR</b> G <b>TATRA</b> TDS 80/32 <b>VOITH</b> 3.325-339 <b>VOITH VSN</b> 6086/19/20 <b>VOLVO</b> 97310 <b>ZF</b> TE-ML 07B/ 08	

LUKOIL TRANSMISSION B 80W-90



Prod. No.: 583220
SPECIFICATIONS
<b>API</b> GL-5 <b>MAN</b> 342 Typ M1 <b>MB</b> 235.0 <b>MIL-L</b> -2105D <b>VOITH</b> 3.325-339 <b>VOLVO</b> 97310 <b>ZF</b> TE-ML 07A/ 08/ 16B/ 17B/ 19B/ 21A





LUKOIL SERVICES

# WHICH ENGINE OIL DO I NEED?

Further information on our products and support in the selection of lubricants for various applications can be found in the LUKOIL lubricant advisor at [www.lukoil-lubricants.eu](http://www.lukoil-lubricants.eu). Our team will be happy to support you with technical questions and concerns at [www.lukhelp.com](http://www.lukhelp.com).



## LUKOIL TRANSMISSION B 80W-140

Prod. No.: 583221

### SPECIFICATIONS

API GL-5  
MIL-L-2105D  
VOLVO 97310  
ZF TE-ML 07A/ 08/ 16D/ 21A

- Mineral transmission oil for axle transmissions
- Exhibits extreme age stability. Offers maximum load capacity and excellent shear stability
- Ensures a long lifespan for the transmission
- Features low viscosity temperature dependence



## LUKOIL TRANSMISSION B 85W-140

Prod. No.: 583222

### SPECIFICATIONS

API GL-5  
MIL-L-2105D  
NH 524A  
VOLVO 97310  
ZF TE-ML 07A/ 08/ 16D/ 21A



## LUKOIL TRANSMISSION LS 80W-90

Prod. No.: 582515

### APPROVALS

ZF TE-ML 05C/ 12C/ 21C  
(ZF003406)

### SPECIFICATIONS

API GL-5  
ZF TE-ML 16E

- Used for differentials with limited slip and heavily loaded axle transmissions, utility vehicles, tractors and construction machinery
- Universal transmission oil with extremely stable viscosity for heavy loads in axle transmissions as per the manufacturer specifications
- Features state-of-the-art anti-wear additives and a reliably constant coefficient of friction



## LUKOIL TRANSMISSION LS 85W-90

Prod. No.: 582520

### APPROVALS

ZF TE-ML 05C/ 12C/ 21C  
(ZF003494)

### SPECIFICATIONS

API GL-5  
ZF TE-ML 07A/ 08/ 16E

## LUKOIL DCTF



Prod. No.: 583370

### SPECIFICATIONS

- Dual clutch transmission oil for diverse applications
- Offers optimal wearing protection and ensures silky smooth shifting

**BMW** 83 22 0 440 214/ 2 147 477/  
2 148 578/ 2 148 579/ DCTF-1/ MTF LT-5  
**Chrysler**  
**Ford** WSS-M2C936-A  
**MB** 236.21/ 236.24/ 236.25  
**Mitsubishi** Dia-Queen SSTF-1/ MZ320065  
**Nissan** WSS-M2C936-A  
**Porsche** Oil No. 999.917.080.00  
**PSA** 9734.S2  
**VOLVO** 1161838/ 1161839  
**VW** G 052 182/ 052 529/ 055 529

## LUKOIL ATF SYNTH VI



Prod. No.: 583346

### APPROVALS

### SPECIFICATIONS

- High-quality automatic transmission fluid developed for passenger cars and light utility vehicles
- Characterised by low viscosity temperature dependence and outstanding protection against sludge formation
- No negative impact on seal materials
- Improved anti-corrosion properties reliably protect all system components

**GM DEXRON® VI**

**Bentley** PY112995PA  
**BMW/Mini** 83 22 0 142 516/ 83 22 0 163 514/  
83 22 0 397 114/ 83 22 2152426  
**Chrysler** 05127382AA/ 68043742AA/  
68157995AA  
**Ford** Mercon LV/ SP  
**Ford** XT-10-QLV/ XT-6-DSP/ XT-6-QSP  
**GM** 88863400/ 88863401/ AW1  
**Honda** DW-1  
**Hyundai/Kia** NWS-9638 T-5/ P/N 040000C90SG/  
SPH-IV/ SP-IV  
**Jaguar** Fluid 8432  
**Jaso** M315 1A  
**Land Rover** LR0022460/ TYK500050  
**Maserati** 231603  
**Mazda** FZ  
**MB** 236.12/ 236.14/ 236.15/ 236.41  
**Mitsubishi** ATF-J3  
**Nissan** Matic S  
**Porsche** 000 043 304 00  
**Saab** 93 165 147 - AW-1  
**Toyota** WS  
**VW/Audi** G 052 533/ G 055 005 (-A; A2)/ G 055  
162 (A2/A6)/ G 055 540 (A2)/ G 060162 A1/A2/A6

## LUKOIL ATF SYNTH M 15



Prod. No.: 583325

### APPROVALS

- High-quality automatic transmission oil for service fillings on Mercedes 7-speed automatic transmissions
- Characterised by high fuel savings
- Optimal friction properties mean longer change intervals

**MB-Approval** 236.15



# TRANSMISSION

## TRANSMISSION OILS FOR AGRICULTURAL AND CONSTRUCTION MACHINERY



### LUKOIL ATF SYNTH M 14

Prod. No.: 583326	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> <li>Newly developed, synthetic, red-coloured, automatic transmission fluid, specially for the newest MERCEDES BENZ 7-speed automatic transmission (NAG 2, type 722.9)</li> <li>Also backwards-compatible with all 5-speed automatic transmissions (type 722.6), it has proven itself well in older automatic transmissions to restore declining ease of shifting</li> <li>For maximum ease of shifting</li> </ul>	<b>MB-Approval</b> 236.14	<b>MB</b> 236.10/ 11/ 12 <b>ZF TE-ML</b> 11A/ 11B



### LUKOIL ATF SYNTH MN Z3

Prod. No.: 583335	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> <li>High-quality universal automatic transmission fluid developed for utility and passenger vehicles</li> <li>Low viscosity temperature dependence (high viscosity index) and excellent ageing properties</li> <li>Enables the longest oil change intervals</li> <li>Stable glide properties enable soft shifting without vibration</li> </ul>	<b>MAN</b> 339 Typ V2, Z3 <b>Voith</b> H55.6336.XX <b>ZF TE-ML</b> 04D, 14C, 16M, 16S, 20C, 25C (ZF009451)	<b>Allison</b> C-4, TES-295, TES-389 <b>Ford</b> MERCON, MERCON V <b>GM DEXRON</b> II-D, III-G, III-H <b>Jaso</b> 1-A <b>MAN</b> 339 Typ L1, Z12 <b>MB</b> 236.6 <b>RBAS</b> TE-ML 09 <b>Volvo</b> 97341 <b>ZF TE-ML</b> 11A, 11B, 21L <b>ZF TE-ML</b> 16L (obsolete)



### LUKOIL ATF SYNTH MULTI

Prod. No.: 583340	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> <li>High-quality universal automatic transmission fluid for passenger and utility vehicles</li> <li>Characterised by low viscosity temperature dependence (high viscosity index) and excellent ageing properties</li> </ul>	<b>MAN</b> 339 L1/ V2/ Z2/ Z11 <b>MB-Approval</b> 236.6/ 236.9 <b>VOITH</b> H55.6336.XX <b>VOLVO</b> 97341 <b>ZF TE-ML</b> 04D/ 14B/20B/ 25B	<b>Aisin</b> Warner AW-1 <b>Allison</b> C-4/ TES-295/ TES-389 <b>BMW</b> ETL 7045E/ 8072B <b>Chrysler</b> MS 10838/ 5931/ 7176D (ATF +2)/ MS 7176E (ATF +3)/ MS 9602 (ATF +4) <b>Fiat</b> 9.55550-AV1 <b>Ford</b> M2C195-A/ MERCON V/ MERCON GM 9985010 <b>DEXRON®</b> III-H <b>Honda</b> ATF-Z1 <b>Hyundai</b> NWS 9638/ PSF-3/ PSF-4 <b>Hyundai/Kia</b> SP-II/ -III/ -IV <b>JASO</b> M315 1A <b>JWS</b> 3309/ 3314/ 3324 (ATF WS) <b>MB</b> 236.10/ 236.11/ 236.3/ 236.91 <b>Nissan</b> Matic D/ J/ K/ S/ PSF-II <b>Subaru</b> ATF <b>Suzuki</b> ATF 3317 <b>Toyota</b> Typ T/ T-II/ T-IV <b>VOLVO</b> 1161540/ 97340 <b>VW</b> G 052 162/ 052 990/ 055 025

## LUKOIL ATF SYNTH



Prod. No.: 583321

APPROVALS

SPECIFICATIONS

- Fully synthetic, red-coloured, high-performance transmission fluid
- Characterised by maximum shear stability, outstanding oxidation stability and excellent flow behaviour even at extremely low temperatures
- Precise shifting thanks to optimal foaming behaviour. Reliable wearing and corrosion protection also ensure high driving comfort

**MAN** 339 Typ L1/ V2/ Z2  
**MB-Approval** 236.8  
**RABAS** Lubricant Class  
 TE-ML 09X  
**VOITH** H55.6336.xx  
**ZF** TE-ML 04D/ 14B

**Allison** C-4  
**DIN** 51 524-HVLP  
**Ford** MECRON  
**GM DEXRON®** II-E  
**NATO** Code H-548  
**VOLVO** 97335  
**ZF** TE-ML 11A/ 21L

## LUKOIL ATF SYNTH CVT



Prod. No.: 583345

SPECIFICATIONS

- High-quality automatic transmission fluid for continuously variable passenger car transmissions
- Excellent anti-foaming properties and no negative impact on seal materials
- Improved anti-corrosion properties reliably protect all system components
- Optimal glide properties for wet clutches and belt pulley pairs

**Daihatsu** CVTF DC/ DFE  
**Dodge/Jeep** CVTF+4/ NS-2  
**Ford** CVT 23/ CVT 30 / MERCON C  
**GM** CVT  
**Honda** HFC-2/ HMMF  
**Hyundai/Kia** SP-III / Genuine CVTF  
**MB** 236.20  
**MINI** ELZ 799  
**Mitsubishi** CVTF-Diaqueen J1/ J4/ SP-III  
**Nissan** NS-2/ NS-3  
**Punch** Powertrain CVTF EX-1/ CVT-PPT/ EZL799A  
**Subaru** CVTF/ NS-2  
**Suzuki** CVT Green 1/ 2 / NS-2/ TC  
**Toyota** TC  
**VW** G 052 180 / 052 516

## LUKOIL ATF



Prod. No.: 583315

APPROVALS

SPECIFICATIONS

- The universal, partly synthetic automatic transmission oil was developed for both cars and trucks
- Excellent viscosity and temperature behaviour
- Excellent ageing and foaming behaviour, very good flow properties at low temperatures and reliable protection against wear and corrosion
- Used as a power transmission medium in automatic transmissions of cars, buses and all-terrain vehicles

**MAN** 339 L1/ V1/ Z1  
**ZF** TE-ML 04D/ 14A  
 (ZF001146)

**Allison** C-4  
**Caterpillar** TO-2  
**GM DEXRON®** II-D/ III-G  
**MAN** 339 Typ D/ F  
**MB** 236.1  
**RBAS** TE-ML 09  
**VOITH** H55.6335.XX  
**VOLVO** 97340/ 97341  
**ZF** TE-ML 11A/ 11B/ 17C



# CONSTRUCT

## SPECIAL OIL FOR CONSTRUCTION MACHINERY



### LUKOIL CONSTRUCT TO-4 SAE 10W

Prod. No.: 583540

#### SPECIFICATIONS

**ALLISON C-4**  
**API CF/ CF-2/ GL-4**  
**Caterpillar TO-4**  
**KOMATSU-DRESSER**  
**ZF TE-ML 03C**  
 passes the Eaton Vickers 35VQ25 vane pump test

*LUKOIL CONSTRUCT TO-4 are special oils for construction machinery for use in engines, powershift transmissions, manual transmissions, lateral drives, drive axles, cable winches, hydraulic systems and hydrostatic travel drives as per manufacturer specification; specially for CAT TO-4 and many other construction machines*



### LUKOIL CONSTRUCT TO-4 SAE 30

Prod. No.: 583550

#### SPECIFICATIONS

**ALLISON C-4**  
**API CF/ CF-2/ GL-4**  
**Caterpillar TO-4**  
**KOMATSU-DRESSER**  
**ZF TE-ML 03A/ 03C/ 04A/ 07D/ 07F**



### LUKOIL CONSTRUCT TO-4 SAE 50

Prod. No.: 583555

#### SPECIFICATIONS

**ALLISON C-4**  
**API CF/ CF-2/ GL-4**  
**Caterpillar TO-4**  
**KOMATSU-DRESSER**

## PACKAGING INFORMATION

PACKAGING	TARE BOX (KG)	TARE CONTAINER (KG)	WIDTH (MM)	HEIGHT (MM)	LENGTH (MM)	DIA-METER (MM)	UNITS PER PALLET	PALLET SIZE (CM)	UNITS PER SALE UNIT
1 LITRE BOTTLE	0,35	0,08	260	240	380	-	432	120 x 80	12
5 LITRE BOTTLE	0,32	0,3	260	330	380	-	81	120 x 80	3
20 LITRE CANISTER	-	1,0	260	362	300	-	36	120 x 80	-
DRUM 60 LITRES	-	4,0	-	586	-	384	6	120 x 80	-
DRUM 205 LITRES	-	14,5	-	878	-	585	4	120 x 120	-
IBC CONTAINER 1000 LITRES	-	60	1000	1200	1200	-	-	-	-



## LUKOIL LUBRICANTS EUROPE GmbH

1220 Vienna, Uferstrasse 8  
www.lukoil-lubricants.eu  
Version: 5.0, March 2023

### MORE INFORMATION AVAILABLE FROM:

#### AUSTRIA

*Automotive:* Telephone 0810 959 8884  
info.schmierstoffe-automotive@eu.lukoil.com  
*Industry:* Telephone 0810 959 8886  
info.schmierstoffe-industry@eu.lukoil.com  
*Dealer:* Telephone 0810 959 8885  
info.schmierstoffe-dealer@eu.lukoil.com

#### GERMANY

*Automotive:* Telephone 01806 06 00 004  
info.schmierstoffe-automotive@eu.lukoil.com  
*Industry:* Telephone 01806 06 00 006  
info.schmierstoffe-industry@eu.lukoil.com  
*Dealer:* Telephone 01806 06 00 005  
info.schmierstoffe-dealer@eu.lukoil.com

#### TECHNICAL INFORMATION

www.lukhelp.com

#### CZECH REPUBLIC

Telephone 844 900 033  
info.lubes-CEE@eu.lukoil.com

#### HUNGARY

Telephone 0680 980 975  
info.lubes-CEE@eu.lukoil.com

#### SLOVAKIA

Telephone 0850 166 670  
info.lubes-CEE@eu.lukoil.com

#### ITALY

Telephone +43 1 205 222 8007  
info.lubes-CEE@eu.lukoil.com

#### NORDIC

Telephone +46 (0)8 466 88 60  
order.se@eu.lukoil.com



WWW.LUKOIL-LUBRICANTS.EU